
Content Provider Unit
Liaison Unit
Mixing Unit
Digital TV Modulator and Transmitter
108
102
104
106
110
112
audio/video content

Figure 1

EOLFAD" SESSEBOD



Figure 2

DOCKET SESSION



Figure 3

TOZTHO" 9T9S6969



Figure 4

TO2Tho" 9F9S2606



Figure 5


602
Real Estate Multiple Listing Service
604
Tourist Kiosk Info Service
606
Auto Dealer Info Service
102
Content Provider Unit
104
Liaison Unit
Real Estate Office
Tourist Kiosks
Auto Dealers

Figure 6


702
User Interface
CORBA Client
712
Exchange Account Info
Broadcaster Info
Account Info
710
704
714
Catalog Store
Send Catalogs
706
716
Content Store (optional)
Send Content
708
720
Content from other locations
718

Figure 7


810
Account Management GUI
802
CORBA Server
Configuration GUI
818
Exchange Account Info
812
Account Info
820
804
Accept Catalogs
814
Catalog Store
Insertion Engine
Mixing Unit
806
Accept Delivered Content
Content Store
816
Log
Reports
Fetch Content
808
822
824

Figure 8


102
Case A.
104
Content Provider Unit
Liaison Unit
902
email
User prepares allocation
904
User invokes synch
Synch request
Synch response (allocation)
906
102
Case B.
104
Content Provider Unit
Liaison Unit
User prepares request
User invokes synch
Synch request
908
Synch response (ACK)
910
912
email
User acts on request
User invokes synch
Synch request
914
Synch response (allocation)
916

Figure 9


Account
1008
Catalog
1010
Catalog
1010
Group
1012
Group
Item
1026
Item
Group
Group
1014
Group
Item
Item
Item
Group
1028
Item
1030
1018
Item
Item
Item
Item
Item
Item
Item
Item
1020
1022
1024

Figure 10

DOCKET SESSION



Figure 11

TOKEN STSSEBED



Figure 12

TRADEMARK 87552360



Figure 13

FOUND SEARCH



Figure 14


1220
1222
1224
1502
File
Edit
View
1504
1506
1508
1510
1512
1514
1516
1518
1520
New Broadcaster
New Account
New Catalog
New Group
New Item
Delete
Save
Synch All Cats
Synch All BW
Exit
P23
P1
P2
(–) G3
(–) G31
P311
P312
P313
P314
P31
(+) C2
(+) Acct-102
(+) Acct-103
ACCOUNT: Acct-101
CATALOG: C2
Catalog Name:
C2
ID Number:
08348503446827172984
Version #
12
Revised:
Mar 15 2001 14:24:33
Broadcasters:
BR3
BR5
Save
Cancel
Synch Catalog
1522

Figure 15


File Edit View
(–) Acct-101
(–) C1
(–) G1
(+) G11
(+) G12
(–) G2
P21
P22
P23
P1
P2
(–) G3
(–) G31
P311
P312
P313
P314
P31
(+) C2
(+) Acct-102
(+) Acct-103
ACCOUNT: Acct-101
GROUP: G12
CATALOG: C1
Group Name:
G1
ID Number:
08348503446827172984
Save
Cancel
Synch Catalog
1602

Figure 16

T02T10 "9T59E960



Figure 17

FOLLOW STANDARD



Figure 18


File
Edit
View
(–) Acct-101
(–) C1
(–) G1
(+) G11
(+) G12
(–) G2
P21
P22
P23
P1
P2
(–) G3
(–) G31
P311
P312
P313
P314
P31
(+) C2
(+) Acct-102
(+) Acct-103
ACCOUNT: Acct-101
GROUP: G2
CATALOG: C1
ITEM: P22
Information
Subject
Transfer
Broadcast
Transfer Mode:
DELIVER
Source Loc:
C:\\Music\Soul\AF Album 5
Browse
Start date/time:
Mar 17 2001 00:00:00
End date/time:
Apr 16 2001 24:00:00
Interval
MINUTES
Times
2:00 am
DAILY
Save
Cancel
Synch Catalog

Figure 19

TOZ40D 9E55E26D



Figure 20


2102
2104
2106
2108
2110
2112
File
Edit
View
DATAHUB
New CP
New Acct
Delete
Save
Accept
Reject
Revise
Exit
t-101
t-102
t-103
Account-201
(–) CP-3
Account-301
Account-302
Account-303
(+)CP-4
(+)CP-5
DATAFAB CP-3
2126
2118
2114
Name:
CP-3
ID Number:
08348503446827172984
2120
2116
2128
Save
Cancel
2130
2122
2124

Figure 21

TO2Tho" 9T9SE860



Figure 22


2102
2104
2106
2302
2304
2306
File
Edit
View
CP/Acct
Config
Zoom ...
2308
DATAHUB
(–)CP-1
Acct-101
Acct-102
Acct-103
(+)CP-2
(–)CP-3
Acct-301
Acct-302
Acct-303
(+)CP-4
(+)CP-5
ACCOUNT Acct-301
Information
Tech Contact
Bus Contact
Bandwidth
date
time
duration
kbits/sec
07/12/01 14:30:00 02:00:00 200
07/12/01 16:30:00 05:00:00 2000
07/12/01 21:30:00 04:30:00 500
07/13/01 02:00:00 06:00:00 1000
Save
Cancel
BW Type:
guaranteed

Figure 23


Mbits/sec
4 megabit (500 kilobyte) item at 2 megabits/second
2.0
1.5
1.0
0.5
0
0 1 2 3 4 5 6 7 8 9 10
seconds
Mbits/sec
4 megabit (500 kilobyte) item at 400 kilobits/second
2.0
1.5
1.0
0.5
0
0 1 2 3 4 5 6 7 8 9 10
seconds

Figure 24

Bandwidth limit for account: 320,000 bits/sec (40,000 bytes/sec)

Item A: size 8,000,000 bytes, start time 3:00 pm, duration 30 minutes; interval 10 minutes (timed)

Item B: size 8,000,000 bytes, start time 3:00 PM, duration 30 minutes (non-timed)



Item A gets broadcast 3 times.
Item B gets broadcast 6 times.

Figure 25

Bandwidth limit for account: 320,000 bits/sec (40,000 bytes/sec)

Item A: size 8,000,000 bytes, start time 3:00 pm, duration 30 minutes; interval 10 minutes (timed)

Item B: size 8,000,000 bytes, start time 3:00 PM, duration 30 minutes (non-timed)

Item C: size 4,000,000 bytes, start time 3:05 pm, duration 30 minutes; interval 10 minutes (timed)



Item A gets broadcast 3 times.
Item B gets broadcast 4 times.
Item C gets broadcast 3 times.

Figure 26

TOZTHO" STS92860

Bandwidth limit for account: 320,000 bits/sec (40,000 bytes/sec)

Item A: size 8,000,000 bytes, start time 3:00 pm, duration 30 minutes; interval 10 minutes (timed)

Item B: size 8,000,000 bytes, start time 3:00 PM, duration 30 minutes (non-timed)

Item C: size 4,000,000 bytes, start time 3:05 pm, duration 30 minutes; interval 10 minutes (timed)

Item D: size 8,000,000 bytes, start time 3:00 pm, duration 30 minutes (non-timed)



Item A gets broadcast 3 times.
Item B gets broadcast 2 times.
Item C gets broadcast 3 times.
Item D gets broadcast 1 time.

Figure 27

Parameters Specified				Behavior
Interval	**Bitrate**	**Duration**	**Count**	
Y	Y	Y	Y	If Interval < Size/Bitrate, set Interval = Size/Bitrate. Ignore Count. Broadcast at Interval using Bitrate, for Duration (timed).
Y	Y	Y	N	If Interval < Size/Bitrate, set Interval = Size/Bitrate. Broadcast at Interval using Bitrate, for Duration (timed).
Y	Y	N	Y	If Interval < Size/Bitrate, set Interval = Size/Bitrate. Broadcast at Interval using Bitrate, Count times (timed).
Y	Y	N	N	If Interval < Size/Bitrate, set Interval = Size/Bitrate. Broadcast at Interval using Bitrate, indefinitely (timed).
Y	N	Y	Y	Set Bitrate = account bitrate. If Interval < Size/Bitrate, set Interval = Size/Bitrate. Ignore Count. Broadcast at Interval using Bitrate, for Duration (timed).
Y	N	Y	N	Set Bitrate = account bitrate. If Interval < Size/Bitrate, set Interval = Size/Bitrate. Broadcast at Interval using Bitrate, for Duration (timed).
Y	N	N	Y	Set Bitrate = account bitrate. If Interval < Size/Bitrate, set Interval = Size/Bitrate. Broadcast at Interval using Bitrate, Count times (timed).
Y	N	N	N	Set Bitrate = account bitrate. If Interval < Size/Bitrate, set Interval = Size/Bitrate. Broadcast at Interval using Bitrate, indefinitely (timed).

Fig. 28A

Parameters Specified				Behavior
Interval	**Bitrate**	**Duration**	**Count**	
N	Y	Y	Y	Set Interval = Duration/Count. If Interval < Size/Bitrate, set Interval = Size/Bitrate. Broadcast at Interval using Bitrate, for Duration (timed).
N	Y	Y	N	Set Interval = Size/Bitrate. Broadcast at Interval using Bitrate, for Duration (timed).
N	Y	N	Y	Set Interval = Size/Bitrate. Broadcast at Interval using Bitrate, Count times (timed).
N	Y	N	N	Set Interval = Size/Bitrate. Broadcast at Interval using Bitrate, indefinitely (timed).
N	N	Y	Y	Set Bitrate = account bitrate. Set Interval = Duration/Count. If Interval < Size/Bitrate, set Interval = Size/Bitrate. Broadcast at Interval using Bitrate, for Duration.
N	N	Y	N	Broadcast for Duration (non-timed).
N	N	N	Y	Broadcast Count times (non-timed).
N	N	N	N	Broadcast indefinitely (non-timed).

Fig. 28B

TOKYO 5555860



Figure 29

PCT/IB2004/050360



Figure 30


Sun
Mon
Tue
Wed
Thu
Sat
Sun
Time line
Weekly broadcast slot
Daily broadcast slot

Figure 31

TOSTMO 5T55Z860



Figure 32

Example: Account bitrate limit: 500 kbits/sec (62,500 bytes/sec)
Time slice: 200 millisecond (0.2 second)
Can broadcast up to 12,500 bytes during timeslice

Items in combined queues (in order of overallpriority)	Disposition of items
Item A Size: 15,000 bytes Bitrate limit: 200 kbits/sec (25,000 bytes/sec, 5,000 bytes/slice)	5,000 bytes taken; rest of item remains on queue in same position
Item B Size: 4,000 bytes Bitrate limit: none specified	All 4,000 bytes taken; item is taken off of queue
Item C Size: 4,000 bytes Bitrate limit: 100 kbits/sec (12,500 bytes/sec, 2,500 bytes/slice)	2,500 bytes taken; rest of item remains on queue in same position
Item D Size: 20,000 bytes Bitrate limit: none specified	500 bytes taken; rest of item remains on queue in same position

Figure 33

EDITED BY SISSEON



Figure 34


3502
3508
User Interface
Web Browser
3506
3504
Tuning
Catalog Cache
Content Filter
Content Cache
3510
File Extractor
3512
Sockets
3518
3524
UDP
3520
3514
IP Packet Extractor
3522
DTV Card Drivers
3516
Software
Hardware
19.4 Mbps MPEG2 Transport Stream
PCI Bus
RF Tuner
VSB Demod FEC
PID Filter
PCI I/F

Figure 35


3502
User Interface for Selections & Preferences
Catalog Cache
3506
Catalog Store
714
Liaison Insertion Engine
720
Receiver File Extractor
3512
Receiver Content Filter
3508
Content Store
708
Content Cache
3510
Solid lines indicate flow of data
Dotted lines indicate flow of control information

Figure 36

DOCKET ALARM



Figure 37


PID D1, IP address A1, Port P1
Account #1 content
PID D2, IP address A2, Port P2
Account #2 content, software upgrades
PID D3, IP address A3, Port P3
Account #2 content, MP3 music, classical
Account #2 content, MP3 music, rock
PID D3, IP address A4, Port P4
Account #3 content, MP3 music, rock
PID D3, IP address A5, Port P5
Account #3 content, MP3 music, country

Figure 38

TOZTHO" STSSE80D



Figure 39


4002
3908
4004
CRC
UDP/IP Packet
Addressable Section Header
Addressable Section
4016
4014
stuffing bytes
MPEG-2 Transport Stream packet payload
MPEG-2 Transport Stream packet header
4006
4008
4010
cont. cntr
other flags
PID
pri-ority
start flag
error flag
sync byte
4012

Figure 40